


L4 ANSWER 2 OF 4 CAPLUS COPYRIGHT 2004 ACS on STN (Continued)
 CN 4-Pentenoic acid, 2-[[[(1S)-1-[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]-3-butenyl]amino]-, (2S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.





L4 ANSWER 3 OF 4 CAPLUS COPYRIGHT 2004 ACS on STN
 ACCESSION NUMBER: 2002:502825 CAPLUS
 DOCUMENT NUMBER: 137:63237
 TITLE: Preparation of oxazolyl- and thiazolylalkoxybenzylglycines and related compounds as antidiabetic and antiobesity agents
 INVENTOR(S): Cheng, Peter T.; Devasthale, Pratik; Jeon, Yoon; Chen, Sean; Zhang, Hao
 PATENT ASSIGNEE(S): Bristol-Myers Squibb Company, USA
 SOURCE: U.S., 190 pp., Cont.-in-part of U.S. Ser. No. 664,598.
 CODEN: USXXAM
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 2
 PATENT INFORMATION:


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 6414002	B1	20020702	US 2001-812960	20010320
US 2003069275	A1	20030410	US 2002-80965	20020222
US 2003087935	A1	20030508	US 2002-81075	20020222
US 6727271	B2	20040427		
US 2003096846	A1	20030522	US 2002-80981	20020222
US 6653314	B2	20031125		

PRIORITY APPLN. INFO.:
 US 1999-155400P P 19990922
 US 2000-664598 A2 20000918
 US 2001-812960 A3 20010320

OTHER SOURCE(S): HARPAT 137:63237
 GI




L4 ANSWER 3 OF 4 CAPLUS COPYRIGHT 2004 ACS on STN (Continued)
 AB Title compds. I [wherein Q = C, N; A = O, S; B = (CH2)_x; Z = O, bonds; X = CH, N; R1 = H, alkyl; R2 = H, alkyl, alkoxy, halo, amino; R3 = H, alkyl, aralkyl, aryloxy, carbonyl, alkoxy, carbonyl, aryl, heteroaryl, hydroxyalkyl, aryloxyalkyl, etc.; R2a, R2b, R2c = H, alkyl, alkoxy, halo, amino; Y = CO2R4, 1-tetrazolyl, PO(OR4)R5; R4 = H, alkyl, prodrug or ester; R4a = H, prodrug ester; R5 = alkyl, aryl; x = 1-4; m, n = 1, 2] were prepd. as modulators of blood glucose levels, triglyceride levels, insulin levels, and non-esterified fatty acid levels (no data). For example, 4-hydroxybenzaldehyde, 5-methyl-2-phenylloxazole-4-ethanol, Ph3P, and DEAD were stirred in THF at 0.degree.-room temp. to give 4-(5-methyl-2-phenylloxazole-4-ethyl)benzaldehyde (65%). Addn. of N-benzylglycine Et ester and NaBH(OAc)3 in 1,2-dichloroethane afforded the benzylamine deriv. (55%), which was stirred with aq. NaOH in MeOH for 14 h to give the title compd. II (71%). I are useful for the treatment of diabetes, esp. Type II diabetes, as well as hyperglycemia, hyperinsulinemia, hyperlipidemia, obesity, atherosclerosis, and related diseases (no data).
 IT 331739-69-6P, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, mono(trifluoroacetate) (9CI) (CA INDEX NAME)
 RL: PAC (Pharmacological activity); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses) (prepn. of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)
 RN 331739-69-6 CAPLUS
 CN Glycine,
 N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- (9CI) (CA INDEX NAME)



IT 331746-66-8, Glycine, N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, mono(trifluoroacetate) (9CI) (CA INDEX NAME)
 RL: RCT (Reactant); RACT (Reactant or reagent) (prepn. of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)
 RN 331746-66-8 CAPLUS
 CN Glycine,
 N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- (9CI) (CA INDEX NAME)


L4 ANSWER 3 OF 4 CAPLUS COPYRIGHT 2004 ACS on STN (Continued)
 compds. as antidiabetic and antiobesity agents)
 RN 331746-66-8 CAPLUS
 CN Glycine,
 N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, mono(trifluoroacetate) (9CI) (CA INDEX NAME)
 CH 1
 CRN 331739-69-6
 CMF C21 H22 N2 O4



CH 2
 CRN 76-05-1
 CMF C2 H F3 O2



IT 331746-22-6P, Alanine, 2-methyl-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]-, mono(trifluoroacetate) (9CI) (CA INDEX NAME)
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent) (prepn. of oxazolyl- and thiazolylalkoxybenzylglycines and related compds. as antidiabetic and antiobesity agents)
 RN 331746-22-6 CAPLUS
 CN Alanine, 2-methyl-N-[[4-[2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy]phenyl]methyl]- (9CI) (CA INDEX NAME)





L4 ANSWER 3 OF 4 CAPLUS COPYRIGHT 2004 ACS on STN (Continued)
 REFERENCE COUNT: 24 THERE ARE 24 CITED REFERENCES AVAILABLE
 FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE
 FORMAT

L4 ANSWER 4 OF 4 CAPLUS COPYRIGHT 2004 ACS on STN
 ACCESSION NUMBER: 2001:228872 CAPLUS
 DOCUMENT NUMBER: 134:266299
 TITLE: Preparation of oxazolyl- and
 thiazolylalkoxybenzylglycines and related
 compounds as
 antidiabetic and antiobesity agents.
 INVENTOR(S): Cheng, Peter T. W.; Devasthale, Pratik; Jeon,
 Yoon T.;
 PATENT ASSIGNEE(S): Chen, Sean; Zhang, Hao
 Bristol-Myers Squibb Company, USA
 SOURCE: PCT Int. Appl., 362 pp.
 CODEN: PIXX02
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 2
 PATENT INFORMATION:


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2001021602	A1	20010329	WO 2000-0525710	20000919
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN,				
CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR,				
HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT,				
LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD,				
SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU,				
ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, T2, UG, ZW, AT, BE, CH,				
CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF,				
BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
EP 1218361	A1	20020703	EP 2000-965172	20000919
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC,				
PT, IE, SI, LT, LV, FI, RO, MK, CY, AL				
BR 2000014189	A	20020820	BR 2000-14189	20000919
TR 200200732	T2	20021021	TR 2002-200200732	20000919
JP 2003509503	T2	20030311	JP 2001-524981	20000919
ZA 2002000937	A	20030502	ZA 2002-937	20020201
NO 2002001408	A	20020514	NO 2002-1408	20020321
PRIORITY APPLN. INFO.:			US 1999-155400P	P 19990922
			WO 2000-0525710	W 20000919
OTHER SOURCE(S):			MARPAT 134:266299	
GI				

L4 ANSWER 4 OF 4 CAPLUS COPYRIGHT 2004 ACS on STN (Continued)




AB Title compds. [I: Q = C, N; A = O, S; B = (CH2)x; Z = O, bond; X = CH, N;
 R1 = H, alkyl; R2 = H, alkyl, alkoxy, halo, amino; R3 = H, alkyl,
 aralkyl,
 aryloxy, carbonyl, alkoxy, carbonyl, aryl, carbonyl, alkyl, carbonyl, aryl,
 heteroaryl, hydroxyalkyl, aryloxy, arylalkyl, etc.; R2a, R2b, R2c = H,
 alkyl, alkoxy, halo, amino; Y = CO2R4, 1-tetrazolyl, PO(OR4a)R5; R4
 = H,
 alkyl, prodrug or ester; R4a = H, prodrug ester; R5 = alkyl, aryl; x
 =
 1-4; m, n = 1, 2], were prepd. as modulators of blood glucose levels,
 triglyceride levels, insulin levels, and non-esterified fatty acid
 levels
 (no data). Thus, 4-hydroxybenzaldehyde, 5-methyl-2-phenyloxazole-4-
 ethanol, Ph3P, and DEAD were stirred in THF at 0.degree.-room temp.
 to
 give 65% 4-(5-methyl-2-phenyloxazole-4-ethyl)benzaldehyde. This was
 stirred 12 h with N-benzylglycine Et ester and NaBH(OAc)3 in
 1,2-dichloroethane to give 55% benzylamine deriv., which was stirred
 14 h
 with aq. NaOH in MeOH to give 71% title compd. (II).
 IT 331739-69-6P
 RL: BAC (Biological activity or effector, except adverse); BSU
 (Biological
 study, unclassified); RCT (Reactant); SPN (Synthetic preparation);
 THU
 (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT
 (Reactant or reagent); USES (Uses)
 (prepn. of oxazolyl- and thiazolylalkoxybenzylglycines and related
 compds. as antidiabetic and antiobesity agents)
 RN 331739-69-6 CAPLUS
 CN Glycine,
 N-[[4-(2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy)phenyl]methyl]-
 (9CI) (CA INDEX NAME)

L4 ANSWER 4 OF 4 CAPLUS COPYRIGHT 2004 ACS on STN (Continued)



IT 331746-66-8
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (prepn. of oxazolyl- and thiazolylalkoxybenzylglycines and related
 compds. as antidiabetic and antiobesity agents)
 RN 331746-66-8 CAPLUS
 CN Glycine,
 N-[[4-(2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy)phenyl]methyl]-
 mono(trifluoroacetate) (9CI) (CA INDEX NAME)

CM 1
 CRN 331739-69-6
 CMF C21 H22 N2 O4




CM 2
 CRN 76-05-1
 CMF C2 H F3 O2



IT 331746-22-6P
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation);
 RACT
 (Reactant or reagent)
 (prepn. of oxazolyl- and thiazolylalkoxybenzylglycines and related
 compds. as antidiabetic and antiobesity agents)
 RN 331746-22-6 CAPLUS
 CN Alanine, 2-methyl-N-[[4-(2-(5-methyl-2-phenyl-4-oxazolyl)ethoxy)phenyl]methyl]- (9CI) (CA INDEX NAME)

L4 ANSWER 4 OF 4 CAPLUS COPYRIGHT 2004 ACS on STN (Continued)



REFERENCE COUNT: 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR
THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE
FORMAT

=> file beil

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	21.37	182.73

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE ENTRY	TOTAL SESSION
CA SUBSCRIBER PRICE	-2.94	-2.94

FILE 'BEILSTEIN' ENTERED AT 09:09:28 ON 02 JUL 2004
 COPYRIGHT (c) 2004 Beilstein-Institut zur Foerderung der Chemischen
 Wissenschaften
 licensed to Beilstein GmbH and MDL Information Systems GmbH

FILE RELOADED ON OCTOBER 20, 2002
 FILE LAST UPDATED ON JUNE 15, 2004

FILE COVERS 1771 TO 2003.
 *** FILE CONTAINS 8,997,153 SUBSTANCES ***

>>> PLEASE NOTE: Reaction data and substance data are stored in
 separate documents and can not be searched together in one
 query.
 Reaction data for BEILSTEIN compounds may be displayed
 immediately with the display codes PRE (preparations) and REA
 (reactions). A substance answer set retrieved after the search
 for a chemical name, a molecular formula or a structure search
 for example can be restricted to compounds with available
 reaction information by concatenation with PRE/FA, REA/FA or
 more general with RX/FA. The BEILSTEIN Registry Number (BRN)
 is the link between a BEILSTEIN compound and belonging reactions.
 For more detailed reaction searches BRNs can be selected from
 substance answer sets and searched in the next step as reaction
 partner BRNs - Reactant (RX.RBRN) or Product BRN (RX.PBRN).
 After a search for reaction details substance documents
 associated with reactants or products may be retrieved by
 searching RX.PBRNs or RX.RBRNs as BRNs. <<<

>>> FOR SEARCHING PREPARATIONS SEE HELP PRE <<<

 * PLEASE NOTE THAT THERE ARE NO FORMATS FREE OF COST. *
 * SET NOTICE FEATURE: THE COST ESTIMATES CALCULATED FOR SET NOTICE *
 * ARE BASED ON THE HIGHEST PRICE CATEGORY. THEREFORE; THESE *
 * ESTIMATES MAY NOT REFLECT THE ACTUAL COSTS. *
 * FOR PRICE INFORMATION SEE HELP COST *

=> s 11

SAMPLE SEARCH INITIATED 09:09:35 FILE 'BEILSTEIN'
 SAMPLE SCREEN SEARCH COMPLETED - 0 TO ITERATE

100.0% PROCESSED 0 ITERATIONS 0 ANSWERS
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
 BATCH **COMPLETE**
PROJECTED ITERATIONS: 0 TO 0
PROJECTED ANSWERS: 0 TO 0

L5 0 SEA SSS SAM L1

=> s l1 full
FULL SEARCH INITIATED 09:09:43 FILE 'BEILSTEIN'
FULL SCREEN SEARCH COMPLETED - 0 TO ITERATE

100.0% PROCESSED 0 ITERATIONS 0 ANSWERS
SEARCH TIME: 00.00.04

L6 0 SEA SSS FUL L1

=> d his

(FILE 'HOME' ENTERED AT 09:06:23 ON 02 JUL 2004)

FILE 'REGISTRY' ENTERED AT 09:06:28 ON 02 JUL 2004

L1 STRUCTURE UPLOADED

L2 0 S L1

L3 5 S L1 FULL

FILE 'CAPLUS' ENTERED AT 09:07:33 ON 02 JUL 2004

L4 4 S L3

FILE 'BEILSTEIN' ENTERED AT 09:09:28 ON 02 JUL 2004


L5 0 S L1

L6 0 S L1 FULL

=> d l1

L1 HAS NO ANSWERS

L1 STR



Structure attributes must be viewed using STN Express query preparation.

=>

---Logging off of STN---

=>

Executing the logoff script...

=> LOG Y

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	0.06	182.79
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
	ENTRY	SESSION
CA SUBSCRIBER PRICE	0.00	-2.94

STN INTERNATIONAL LOGOFF AT 09:10:04 ON 02 JUL 2004